

SP 391


Steer and Trailer



APPLICATION

Designed for highway usage on long-distance, laden trucks. The benefits of the DECTES technology is especially apparent in the steer position. Benefits include:

- Longer life with reduction in uneven wear
- A compound designed to provide a more wear-resistant tread
- Good retreadability
- Excellent CPK, through the combination of all benefits.



OK

Tyre Size	Ply Rating	Load Index	Speed Index	TL or TT	Overall Diameter (mm)	Section Width (mm)	Maximum load per tyre. Single (kg)	Maximum load per tyre. Dual (kg)	Maximum Pressure (kPa)	Recommended Rim (J)	Tread Depth (mm)
215/75R17.5		126/124	М	TL	775	209	1700	1600	590	6,00	13,0
12R22.5	18	152/149	L	TL	1085	300	3550	3250	930	9,00	15,6
295/80R22.5	18	152/149	М	TL	1044	298	3550	3250	900	9,00	16,5
315/80R22.5	18	154/150 156/150	M L	TL	1076	312	3750 4000	3350	830 850	9,00	16,8

*DECTES (Dunlop Energy Control Technologies) is a combination of innovative design technologies aimed at controlling heat energy build-up and energy loss whilst ensuring a more consistent contact patch; resulting in lower rolling resistance, higher mileage, a more wear resistant tread and a reduction in uneven tread wear all contributing to excellent CPK.

E-mail: marketing@srigroup.co.za **Website:** www.dunloptyres.co.za



